

Synseal launches a range of sills designed for new build and conservatory applications.

The sills feature an innovative window board receptor – creating a level platform for the window board and saving time for the installer.

The new build sill will fit most 60mm and 70mm window systems.

Synseal Window Boards are designed to interlock neatly into the New Build Sill.

Manufactured from durable cellular PVC for a low maintenance finish, the window boards are available in either 175mm or 225mm deep, 5000mm lengths.

Product codes: Window boards Colour: White

3WB-175 175mm 5000mm (2 Lengths) 3WB-225 225mm 5000mm (2 Lengths)

Product codes: Sills and accessories

6000mm (2 Lengths) 3S103 103mm Sill 3S125 125mm Sill 6000mm (2 Lengths) 6000mm (2 Lengths) 3S150 150mm Sill 6000mm (2 Lengths) 3\$180 180mm Sill 3S225 225mm Sill 6000mm (2 Lengths) 3SC103 103mm Sill End Caps 1 Pair (50 Pairs) 1 Pair (50 Pairs) 3SC125 125mm Sill End Caps 3SC150 150mm Sill End Caps 1 Pair (50 Pairs) 1 Pair (50 Pairs) 3SC180 180mm Sill End Caps 1 Pair (50 Pairs) 3SC225 225mm Sill End Caps 3SR1 Insert For Sill Rebate 6000mm (20 Lengths) 3RS-V2 Sill Steel 6000mm (10 Lengths)

www.synseal.co.uk





New Sold of the constant of th



Window and conservatory components



New opportunities for you to sell more windows, doors and conservatories

Synseal have invested over £2 million this year in new product development, so whether your market is trade, retail, new build or commercial, Synseal have the products to help your business grow.

Most products are compatible with the full range of Synseal windows, doors and conservatories and are designed to make fabrication and installation easier, saving time and money.

For more information











Sills and window boards the finishing touch





Now available – the Synsil range of high quality window grade silicones and adhesives from Synseal. Synsil products offer superb performance you can depend on at extremely competitive prices.

Contractors LMN Silicone for PVCu

A fast curing low modulus neutral silicone especially formulated for use on most PVCu.

Product code: LMN300 – WHITE

LMN300B - BROWN

Contractors LMN general Silicone

A one component neutral cure silicone which can be used for sealing most building, construction and glazing joints.

Product code: LMN300CLR – CLEAR

Contractors Caulk Acrylic

A water based one component flexible caulk acrylic that is easy to apply, dries quickly and can be painted over after only 1 hour.

Product code: CAULK300

Superglue

Ethyl cyanoacrylate based adhesive developed for bonding rubbers and plastics such as PVCu. This one component, solvent free adhesive has rapid bonding at room temperature and is economical to use.

Product code: SGLU50 – 50GM

Superglue Activator

Low viscosity solvent based cyanoacrylate adhesive activator containing active components dissolved in a hydrocarbon solvent. Activator is low odour and fast acting.

Product code: SGLUACT200 – 200ML



Traditional look simple solution





Decorative Mock Sash Horns from Synseal recreate the look of a traditional sliding sash in a modern casement window.

Available for Synerjy, Shield and Legend suites, Synseal Mock Sash Horns are supplied in convenient kits with 2 metre lengths of prerouted sash profile to minimise waste and reduce fabrication time.

s ensure a high file closers to keep

ash profile osers

HK-SYN, Legend SHK-LEG Iny = W, Cherrywood= CHW,

Synsil silicones and adhesives








Synseal's new trickle vents and night vents are available in slimline, standard or modular designs in either 2000mm or 4000mm sizes.

Synseal trickle vents are designed to comply with current Building Regulations for ventilation in new dwellings.

Synseal trickle vents are available in White, brown and caramel

Trinte, and the caraffici	
TV18-2000	Slimline 2000 Trickle Vent – White
TV18-2000B	Slimline 2000 Trickle Vent – Brown
TV18-2000C	Slimline 2000 Trickle Vent – Caramel
TV18-4000	Slimline 4000 Trickle Vent – White
TV18-4000B	Slimline 4000 Trickle Vent – Brown
TV18-4000C	Slimline 4000 Trickle Vent – Caramel
TV22-2000	Standard 2000 Trickle Vent – White
TV22-2000B	Standard 2000 Trickle Vent – Brown
TV22-2000C	Standard 2000 Trickle Vent – Caramel
TV22-4000	Standard 4000 Trickle Vent – White
TV22-4000B	Standard 4000 Trickle Vent – Brown
TV22-4000C	Standard 4000 Trickle Vent – Caramel
TV26-2000	Modular 2000 Trickle Vent – White
TV26-2000B	Modular 2000 Trickle Vent – Brown
TV26-2000C	Modular 2000 Trickle Vent – Caramel
TV26-4000	Modular 4000 Trickle Vent – White
TV26-4000B	Modular 4000 Trickle Vent – Brown

Modular 4000 Trickle Vent – Caramei



Architrave Detail when only a professional finish will do









Synseal PVCu architraves provide a high quality professional finish for trimming and cloaking applications. Available in the full range of Artisan colours.

Supplied in 25mm or 46mm widths, the Architraves are 12.5mm thick and feature a decorative sculptured leading edge which suites with both CavSeal cavity closers and Synseal's Vertical Sliding Sash windows.

Available in the full range of Artisan colours.





Product codes:

3AR1 25mm x 12.5mm architrave 3AR2 46mm x 12.5mm architrave 6000mm (20 Lengths) 6000mm (20 Lengths)

Ventilation trickle vents





Create a contemporary feel to your conservatory with the new finial and cresting options from Synseal.

The stylish Ball finial, Non-finial Stub and Ridge Closer for a non-crested design offer a whole range of new ways to detail the ridgeline of your conservatory.

Envirosill take the environmental option








Available in white, blu white, brown, caramel, plus the full Artisan coloured collection.

Ball Finial XNDF2 Non-finial Stub XNDF1 Ridge Closer XNDCAL-300






email: info@synseal.co.uk





Conservatories the finishing touch



Envirosill minimises its impact on energy and resources to support your environmental management and give your customers an eco-friendly option to help minimise their carbon footprint.



envir()sill

Product codes: SC01EV 150mm Envirosill SC02 Envirosill end caps

6000mm (2 Lengths) 1 pair (packed in 50 pairs)



Fabricators using Envirosill are issued with a post consumer recycling certificate.

Fax: 01623 550243 email: info@synseal.co.uk